

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1382	(select\$4 interfac\$4 interact\$4 choos\$4 click\$4) same (arc circular) with section same (duration time period)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:24
L2	4117865	1 and (arc circular) with section (organiz\$4 arrang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:24
L3	206	1 and (arc circular) with section same (organiz\$4 arrang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:24
L4	60	715/700,779,841,866,762-765,771,772,774. ccls. and (arc circular) with (configur\$6 arrang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:26
L5	0	first with arrangment with structure with interface and second near5 arrangment with interface and arc	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:27
L6	0	4 and (first second) with arrangment with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:28
L7	24	4 and (first second) with (structure arrangment interface) and (arc circular circle)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:29
L8	0	4 and (first second) with (structure arrangment interface) and (arc circular circle) with arrangment	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:29
L9	4	4 and (first second) with (structure arrangment interface) and (arc circular circle) with arrangement	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:29
L10	11	(first second) with (structure arrangement interface) and arc with (sections sectors) with represent\$4 with (time duration period)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:32

EAST Search History

L11	0	(interact\$4 selectable interface) with arc with (sections sectors) with represent\$4 with (time duration period)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:32
L12	1	(interact\$4 selectable arrangement interface) with arc with (sections sectors) with represent\$4 with (time duration period) and user near interface	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:43
L13	3	715/835,810,836,837,846,977,976.ccls. and arc near (sections sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:47
L14	1	715/835,810,836,837,846,977,976.ccls. and represent\$5 same object same (arc cicular) near (sections sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:45
L15	3	715/834,835,810,836,837,846,977,976.ccls. and arc near (sections sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:47
L16	0	715/834,835,810,836,837,846,977,976.ccls. and object with represent\$5 with (arc radial) near (sections sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:47
L17	0	715/834,835,810,836,837,846,977,976.ccls. and object with represent\$5 with (arc radial) near (sections structure sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:48
L18	2302	715/834,835,810,836,837,846,977,976.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:48
L19	0	18 and object with represent\$5 with (arc radial) near (sections structure sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:48
L20	0	18 and object with (arc radial) near (sections structure sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/01 17:48

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L21	0	((represent\$4 display\$4 render\$4) with data near object with (arc radial) near (sections structure sector)).CLM.	US-PGPUB; USPAT	OR	ON	2007/11/01 18:02
L22	0	((arranging arrangement organiz\$8) with data near object with (arc radial) near (sections structure sector)).CLM.	US-PGPUB; USPAT	OR	ON	2007/11/01 18:03
L23	0	((first second) near3 arrangement and (first second) near (graphical near structure) and (arch radial) with represent\$5 with (duration time period)).CLM.	US-PGPUB; USPAT	OR	ON	2007/11/01 18:04
L24	1	((first second) near3 arrangement and (first second) near (graphical near structure) and (arc radial) with represent\$5 with (duration time period)).CLM.	US-PGPUB; USPAT	OR	ON	2007/11/01 18:04

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"data objects" arrangement access "stored data"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 20 of about **45** for "**data objects**" **arrangement access** "**stored data**" "**arc sections**" OR **arc**

Graphical access to data objects - Patent 20040268268

A method for providing **access to stored data objects**, the method comprising:
representing a first arrangement of data objects as a first graphical structure ...
www.freepatentsonline.com/20040268268.html - 43k - [Cached](#) - [Similar pages](#)

Automated Electrical Financial Or Business Practice Or Management ...

Market information is displayed on the **graphical user interface**. The **structure** includes a first and second liquidity and/or credit provider and an ...
www.freshpatents.com/x1705035000psbc.php - 361k - [Cached](#) - [Similar pages](#)

[PDF] Intelligent Content Management System <a href="#2 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
level **access**, to the complex ontology **structures combining** the taxonomy trees and
Task 2: **Representing** knowledge in the **graphic user interface** (Task ...
www.icons.rodan.pl/docs/ICONS_D01_project_descr.pdf - [Similar pages](#)

[PDF] NCGIA Research Initiative 7 Visualization of Spatial Data Quality

File Format: PDF/Adobe Acrobat - [View as HTML](#)
We can now **combine graphics**, text, and audio in many ways to present. information.
Arrangement- is the lattice **Structure** which determines the ...
www.ncgia.ucsb.edu/Publications/Tech_Reports/91/91-26.pdf - [Similar pages](#)

[PDF] Data Modelling and Database Requirements for Geographical Data

File Format: PDF/Adobe Acrobat
therefore has to be able to **represent** complex data **structures** and Accounting and
billing on the basis of data **access** and processing **time** must be ...
www.idi.ntnu.no/grupper/su/publ/phd/tveite-thesis.pdf - [Similar pages](#)

[DOC] X

File Format: Microsoft Word - [View as HTML](#)
This may buy at least enough **time** for more reliable **arrangements** to be put in SGML
describes how to specify (in a DTD) the underlying **structure** of a ...
infolac.ucol.mx/mow/direcpatdig/directrices%20patrimonio%20digital%20ingles%20version%20doc.doc - [Similar pages](#)

[PDF] Guidelines for the preservation of digital heritage; 2003

File Format: PDF/Adobe Acrobat
preservation and **access arrangements** can be tailored to their needs and expectations.
..... migration of data to new database **structure** and **user interface** ...
unesdoc.unesco.org/images/0013/001300/130071e.pdf - [Similar pages](#)

[DOC] Forensic Imaging And Multi-media Glossary

File Format: Microsoft Word - [View as HTML](#)
(CER) A data **structure** in memory that represents information in the form of a
collection (CER) This is an abbreviation for **Graphical User Interface**. ...
www.theiai.org/guidelines/iai-leval/forensic_imaging_multi-media_glossary_v7.doc -
[Similar pages](#)

[PDF] Inhaltsverzeichnis

File Format: PDF/Adobe Acrobat

It features compact storage **structures**, a very efficient XPath implementation and a **graphical user interface**, facilitating visual access ...

www.dagstuhl.de/fileadmin/redaktion/Programm/Event/07232/07232-Dagstuhl-Band-mit-IV-6.pdf - [Similar pages](#)

[PDF] [Forensic Imaging And Multi-media Glossary Covering Computer ...](#)

File Format: PDF/Adobe Acrobat

A memory **structure** in which data is entered at one end and removed from the (CER)

This is an abbreviation for **Graphical User Interface**. ...

www.leva.org/pdf/GlossaryV7.pdf - [Similar pages](#)

[IEEE Guide to the POSIX Open System Environment \(OSE\)](#)

Initiate the measurement of an arbitrarily specified **time duration** Figure 4.13—

Computer **Graphics** Reference Model Level **Structure** ...

ieeexplore.ieee.org/iel1/4247/12008/00552903.pdf - [Similar pages](#)

[PDF] [VENUS/NEPTUNE DMAS Examination: Final Report](#)

File Format: PDF/Adobe Acrobat

structures are, in general, faster to **access** because you can drill down to the part you program with a **graphical user interface** usually must be ...

www.barrodale.com/docs/DMAS_Final_Report_041018.pdf - [Similar pages](#)

[PDF] [Glossary](#)

File Format: PDF/Adobe Acrobat

that reduces I/O **access time** by searching for a string in. a small index file, and using the **data structure** that is used to **represent** an OM attribute ...

publib.boulder.ibm.com/infocenter/systems/topic/com.ibm.aix.glossary/doc/glossary/glossary.pdf - [Similar pages](#)

[PDF] [VENUS/NEPTUNE DMAS Examination: Final Report](#)

File Format: PDF/Adobe Acrobat

To resolve fine **structure** and detect very small changes in property measurements, the program with a **graphical user interface** usually must be ...

dmac.ocean.us/dacsc/docs/Neptune-Barrodale-DMAS_Final_Report_041018.pdf -

[Similar pages](#)

[GZIP] [Forth Tutorials ...](#)

File Format: Gzip Archive - [View as HTML](#)

\par This **graphical user interface** (GUI) is being implemented in {\it natOOF}. Since the user can create every possible control **structure** in ANS.Forth, ...

dec.bournemouth.ac.uk/forth/bib/forth.bib.gz - [Similar pages](#)

[PDF] [Theses and Dissertations Presented to the Departamento de ...](#)

File Format: PDF/Adobe Acrobat

A **graphical User Interface** to the Expert System mentioned is developed. This work proposes a topological data **structure** to **represent** ...

ftp://ftp.inf.puc-rio.br/pub/docs/techreports/01_27_castilho.pdf - [Similar pages](#)

[\(WO/2006/052390\) SYSTEM AND METHOD FOR MANAGING COMMUNICATION AND ...](#)

can be added to the Node **structure**, **representing** the central point of the view ... If **access** to **data objects** is reasonably "coherent", meaning that objects ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO2006052390&DISPLAY=DESC - 595k -

[Cached](#) - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

approved target architectures at the present **time**. The 15 service areas do not **represent**

15 distinct and separable functions or. **structures**. ...

www.socialsecurity.gov/irm/IRM_2005.pdf - [Similar pages](#)

[PDF] [State of the Art in Factory Control and Requirement Specification ...](#)

File Format: PDF/Adobe Acrobat

definition of a binary **structure representing** the interface between clients and

duration and, therefore, a different impact on the cycle **time** of the ...

www.uni-magdeburg.de/iaf/cvs/pabadispromise/dokumente/Del_1_1_Final.pdf -

[Similar pages](#)

[PDF] [Contents](#)

File Format: PDF/Adobe Acrobat

Limited impact on this **sector** as **Access** Points and antennas will be added-. on to buildings rather than used within the building **structure**. Electrical ...

www.ee-oz.com.au/resources/misc/2746.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)